

RELION XE2142E SERVER

A VERSATILE, SCALABLE 2U - 4 NODE SERVER
FOR DATA CENTER AND HPC WORKLOADS



OVERVIEW

Modern data centers need flexible computing resources that can be deployed at scale. The Penguin Computing Relion[®] XE2142e Server provides dual Intel[®] Xeon[®] Scalable processors per node, fast and efficient memory, and up to three (3) 3.5" drive bays for flexible and dense storage. With powerful compute and dense storage in a single server, the Relion XE2142e Server is an optimal platform for data center and HPC deployments at scale.

FEATURES & BENEFITS

- Dual Intel[®] Xeon[®] Scalable Processors per node at up to 145W each for performance configurations
- Up to sixteen (16) DDR4-2933MHz ECC memory modules per node to deliver speed and efficiency for data-intensive workloads
- Storage density for three (3) 3.5" hot-swap drive bays per node with SAS/SATA support
- Up to two (2) PCI Express x16 Gen 3 low profile slot

FEATURE	TECHNICAL SPECIFICATIONS
Form Factor	2U - 4 Node Rackmount
Processors	Processor Number: 2 per node / 8 total Processor Type: Intel [®] Xeon [®] Scalable Processors
Motherboard	Chipset: Intel Lewisburg C620 Series
Board Management	BMC Chipset: ASpeed AST2500 Dedicated BMC Interface: RJ45 IPMI 2.0: Yes
Memory	Memory Type: DDR4-2933MHz ECC, Intel [®] Optane™ DC Persistent Memory Memory Capacity: Up to 2TB DDR4 / 4TB with Intel [®] Optane™ DC Persistent Memory (16x DIMMs)
Hard Drive Bays	3.5": 3x Hotswap SAS/SATA Drives per node
Networking	Ethernet Controller: None On-Board LAN: 2x RJ-45/10GbE or 2x SFP+/10GbE
PCI Expansion Slots	Number of Slots/Gen/Speed (Size) 2x Gen3 PCIe x16 (LP)

FEATURE	TECHNICAL SPECIFICATIONS	
GPU:	GPU Capable:	No
External I/O Interfaces	USB Ports:	2x USB 3.0
	VGA Ports:	Optional
	Serial Ports:	None
Power System	Power Supply Size:	2x 2130W 80Plus Platinum
Regulatory Compliance	Regulations:	CE, FCC
Mounting Hardware	Rackmount Rails:	Standard Rails included
Operating Environment	Operating Temperature:	15C to 35C (59F to 95F)
	Non-operating Temperature:	0C to 70C (0F to 158F)
	Operating Relative Humidity:	30% to 80% (non-condensing)
	Non-operating Relative Humidity:	5% to 90% (non-condensing)
System Dimensions	Height: 3.42" Width: 17.24" Depth: 30.35"	
Warranty	3 year standard; Up to 5 years on-site available.	

Learn More

Configure your ideal server at www.penguincomputing.com.

For pricing on your specific configuration, contact a representative by email at sales@penguincomputing.com or call 1-888-PENGUIN (736-4846).

Purchase with Financing

Finance products, services, even soft costs with Penguin Computing Capital. Choose from options such as no money down, flexible billing choices, extended repayment timelines, and a variety of end-of-term alternatives.

About Penguin Computing, a SMART Global Holdings Company

Penguin Computing, a U.S.-based global provider of high-performance computing (HPC), artificial intelligence (AI) and machine learning, and data center solutions, has been serving the industry for over 20 years. Penguin Computing offers a comprehensive portfolio of hardware and software including solutions based on the Open Compute Project (OCP), as well as extensive services including financing and top-rated customer support. Penguin Computing products include Linux-based servers, software, integrated turn-key clusters, enterprise-grade storage, and bare metal HPC, all available in hardware or cloud-based solutions via Penguin Computing® On-Demand™ (POD). Penguin Computing is a subsidiary of SMART Global Holdings, Inc.



@penguinhpc



@penguincomputing



Penguin Computing



Penguin Computing